

FEATURES

2" Connection size

Pump up to 33 GPM

Transfer spherical solids up to
2" or 50% by volume

Pressure relief valve standard
on all models

Pump up to 50' vertical

Heavy duty diaphragm

2HP electric motors

Power and Performance



When considering your outdoor fluid handling application, make sure you have the right equipment to get tough fluids moving along smoothly. The right pump should have advanced components and materials to see your application through from start to finish. Technology is getting smarter and so are the next generation diaphragm pumps from Wastecorp.

Performance

Max. capacity	33 GPM
Max. suction lift	15' vertical
Max. discharge head	50' vertical
Solids handling	2" dia or 50% by volume

Pump Models


Part #	Description
66098-00	Mud Sucker 2EFA - M Gas - Honda GX160
66098-10	Mud Sucker 2EFA - M Gas - Honda GX160 - Electric Start
66098-20	Mud Sucker 2EFA - M Diesel - Yanmar L-70
65740-02	Mud Sucker 2EFA Dolly Kit

Pump and Motor Specifications

Suction inlet/outlet size	2"x2"
Max. liquid temperature	140°F (60°C) continuous
Pump body casing	Marine grade aluminum (ASTM A356, Class 30)
Diaphragm	Neoprene
Flapper valves	Fabric reinforced Buna-N (viton optional)
Gearbox	Cast aluminum housing with heat treated gears
Hardware	Zinc coated
Rod end bearing body	Cast iron, protective coated for corrosion resistance
Ball bearing	Sintered steel, heat treated, oil impregnated
Ultimate radial static load capacity	9,000 Lbs
Approximate Pump Weight	100 Lbs

* Consult factory if fluid temperature exceeds 140°F

Mud Sucker® Diaphragm Pumps



Heavy duty crank arm to pump the tough stuff at 33 GPM

Neoprene diaphragm

Exclusive Wastecorp engineered contoured velocity channel to move fluids without clogging

Lightweight aluminum pump body





High performance fabric reinforced flapper valves for long life cycle pumping

Standard pressure relief valve for the ultimate in pump protection

Manufactured in North America. Country/region specific models are available worldwide.

ACCESSORIES

Enhanced pump out productivity with your Mud Sucker diaphragm pump can be as easy as adding a few simple accessories. So if you need to suck up dirt and debris, need a mess free pump out, or have a heavier duty dewatering application, the right accessories can enhance your fluid handling one step further.

Part no.	Description	Part no.	Description
 60718-00	Non-collapsible EPDM hose 2"x20'. Camlocks included	 65740-02	Wheel mount kit with handles (Inline)
 51333-10	Discharge hose, lay flat (brown) 2"x50'. Camlocks included	 34383-00	Stainer, sq. hole (solids) 2" FNPT

Mud Sucker® Diaphragm Pumps

Toll-Free: 1.888.829.2783 Email: info@wastecorp.com




OEM Manufacturer

Mud Sucker 2EFA Series pumps are specified for the following industries and applications: General wastewater pumping, septic pump, construction pump, Federal and military, agricultural, aquaculture farming, farms, food processing, oil, gas, shale, select chemicals, pulp and paper mills, marine pumping applications, waste oil pumping, landfills, dewatering, biodiesel production, public works and others. Mention your application to your technical support representative at the time of order. Before operating your diaphragm pump, read, understand and follow all instructions in the manual and on the pump. Specifications and programs are accurate at the time of publication but subject to change without notice. Images may not reflect dealer inventory and/or unit specifications. Wastecorp, Mud Sucker and globes are trademarks of Wastecorp, WPCI Environmental Brands. No reproduction of this document without permission. © Wastecorp.


DIMENSIONS

STATIONARY WITH ROLL CAGE

PLAN VIEW




SIDE ELEVATION VIEW




WHEEL MOUNT

PLAN VIEW



SIDE ELEVATION VIEW



Mud Sucker® Diaphragm Pumps

Toll-Free: 1.888.829.2783 Email: info@wastecorp.com



OEM Manufacturer

Mud Sucker 3EFA Series pumps are specified for the following industries and applications: General wastewater pumping, septic pump, construction pump, Federal and military, agricultural, aquaculture farming, farms, food processing, oil, gas, shale, select chemicals, pulp and paper mills, marine pumping applications, waste oil pumping, landfills, dewatering, biodiesel production, public works and others. Mention your application to your technical support representative at the time of order. Before operating your diaphragm pump, read, understand and follow all instructions in the manual and on the pump. Specifications and programs are accurate at the time of publication but subject to change without notice. Images may not reflect dealer inventory and/or unit specifications. Wastecorp, Mud Sucker and globes are trademarks of Wastecorp, WPCI Environmental Brands. No reproduction of this document without permission. © Wastecorp.