



WASTECORP
Pumps®

Super Duty®

TVP-3000-5000 Series

3000-5000 Gallon Vacuum Pump Systems

FEATURES

Designed for waste trap grease pumping, septic waste, sewage and wastewater transfer

Pumps suspended solids

Dry start suction lift to 25 ft.

Safe to run dry

Low emulsion

Low sheering action

Automatic continuous duty

Wastecorp is An ISO 9001 and ISO 14001 pump manufacturer

Designed and manufactured in the USA and/or Canada



Vacuum system shown with optional accessories. Contact factory for more information.

**INVEST IN YOUR PUMPING PRODUCTIVITY.
INVEST IN QUALITY SYSTEMS.**

Pump Specifications	TVP 3000-5000 Series
Pump & motor	Gas, diesel and electric available. Up to 512 CFM vacuum power available
Tank	3000, 4000 or 5000 gallon waste compartments available (Optional fresh water compartment available)
Connections	1½ x 3" NPT intake & discharge w/ motorized ball valve
Finish	Epoxy coated
Hoses	30 ft Intake Hose Assembly
Accessories*	Jetter packages, Beacon system, LED work lights, lockable storage compartments, access ladder, manway, hydraulic tilt
Performance Specifications	
Max. suction lift (vertical)	25 ft
Max. suction distance	1500 ft
Max. suction performance	120 GPM
Max. discharge head (vertical)	30 ft
Max. discharge distance	3000 ft

SUPER DUTY® VACUUM PUMPS
TVP-3000-5000™ Series

3000-5000 Gallon Vacuum Trailers



3000,4000 or 5000 gallon single compartment steel waste tank (dual compartment waste/fresh water available)

Optional man way allows access to tank interior 20", 25" or 36" diameter sizes.

230, 363 or 512 CFM range vacuum pumps available

Heavy duty goose neck trailer

DOT approved trailer with lighting and electric brakes or air brakes

Premium non-collapsible green suction and discharge hose included



Shown with goose neck trailer and optional equipment including beacon light, jetter system worklight package.



Front view



Rear view



Side view

SUPER DUTY® VACUUM PUMPS

Designed and Manufactured by Wastecorp Pumps in USA and/or Canada.

Toll-Free: 1.888.829.2783 Email: info@wastecorp.com

International: +1-201-445-2882

BUILD OPTIONS

CFM Vacuum Power

CFM or cubic feet per minute relates to vacuum suction power. Wastecorp offers several CFM options. Our industry leading standard CFM is 127, 230 CFM, 350 CFM and 512 CFM are also available. We also offer blower packages for hydro excavation,

127 CFM

230 CFM

350 CFM

512 CFM

Engine Options

Wastecorp offers electric, gas and diesel power options for Super Duty Vacuum Systems.

Gas

Electric

Diesel

Tank Options

Select either waste only tanks or waste plus water compartments.



Wastecorp uses premium steel tanks that stand the test of time. We offer dual compartment waste and water or external polyethylene water tanks (your choice)

Jetter Options

Expand the capabilities of your system with both waste collection and water jetting function. Jetters are ideal for cleaning catch basins, sewer pipes and general facilities maintenance.



Several jetter packages available to meet your job site needs.

Optional Equipment



Rear Manway

Designed to allow for easy maintenance and cleaning of tank interior.



Work Light Package

Bright LED's for working in dark conditions. Beacon light and traffic diversion arrows (DOT compliant) available.



Storage Options

Fender Mounted locking storage compartment. Various lockable storage options to help deter theft and vandalism.



Tank Ladder

Allows easier access to top of the tank.



Tank Mounted Camera System

Reverse assistance wired into the cab of your truck



Blower Package

If you're pumping thick/dry fluids or longer suction distances, then you need a high cfm blower package. Wastecorp technical support can help you select the right package

SUPER DUTY® VACUUM PUMPS

Designed and Manufactured by Wastecorp Pumps in USA and/or Canada.

Toll-Free: 1.888.829.2783 Email: info@wastecorp.com

International: +1-201-445-2882